### Technical sheet

### Sugar NET/ NET WHITE





### Sugar 670

Operative chair of Quinti Sedute collection with KF net backrest. High quality materials that ensure comfort and are made to withstand the test of time.

All Quinti products are covered by a 5 year warranty and are 100% Made in Italy. Certification n. 290.058v

### Base

- Black polypropylene base "LOOP". [d. 680] 1.
- Aluminum base "LOOP". [d. 680] White plypropylene base "TREND". [d. 680] 2.
- 3.
- 4. Black polypropylene base "LOOP". [d. 680]
- Aluminum base "LOOP". [d. 680] 5.

### Gas lift

All Quinti gas lift systems are DIN 4550 4th level certified.

### **Mechanics**

Sugar can be provided with two mechanisms :

- Syncron self M12 1.
- 2. Syncron M1,M1 [optional]

#### Castors

Double tread diam. 60 mm. standard or rubber wheels. Both free and self braking wheels are available. Polyamide feet and wheels are interchangeable, as the same screw is used to secure both components

### Armrests

Available both with or without armrests. Armrests can be adjustable in height or fixed.

#### Seat & backrest

Seat. High resistance polypropylene seat with 2 steel bars. Upholstery in all colours of Quinti colours system.

Backrest. Available with BLACK or WHITE structure, Goal net and adjustable lumbar support. Goal net available in 7 colours. Black polyurethane foam headrest available.


### Padding

High density cold injected foam.

### Info components

### **Technical sheet**

### Dimensions & range



### UPHOLSTERY

CREPE' CATEGORY 1 350 gr/mtl 100% Polyester Class 1 ,EN1021/1-2 50.000 +/- 10% cycles

### **BIO-EXPO**

CATEGORY 2 300 gr/mt2 100% Propitex FR bacteriostatic Class 1UNI EN ISO 354:2003 100.000 +/- 10% cycles Martindale

### EXTREME

CATEGORY 2 350 gr/mtl 100% Xtreme FR Class 1, EN 1021-1/2 100.000 +/- 10% cycles Martindale

#### LASER

CATEGORY 2 560 gr/mtl 100% Polyester FR Class 1 80.000+/- 10% cycles Martindale

# ECOPELLE CATEGORY 2

630 ar/mt2 83% PVC, 17% Synthetic ISO 379-DIN75200-CSERF4/83 10% cycles Martindale

ERA CATEGORY 3 448 gr/mtl

100% Trevira CS Class 1UNI EN ISO 354:2003 100.000 +/- 10% cycles Martindale

LASER PLUS CATEGORY 3 630 gr/mtl 100% Polyester FR Trevira Classe1 , 4.000 +/- cycles Martindale

ECOPELLE SOUL CATEGORY 3 760 gr/mt2 Superficies 100% POLIURETANO, Base Polyester 85%,17% Cotton EN1021-1/BS5852 PART 1 >100.000 EN ISO 5470-2

MELANGE CATEGORY 3 390 g/lin.m 100% Trevira CS Class 1 80.000 +/- 10% cycles Martindale

JET CATEGORY 3 365+/- 5% g/lin.m 100% Polyester FR Class 1 80.000+/- 10% cycles Martindale

# ECOPELLE SISTEMA PRO CATEGORY 3

710 gr/mt2 Surface 93% PVC Base Polyester 28% CLASSE1 100.000 CICLI

ECOPELLE VITAX CATEGORY 3

850 gr/mt2 Surface 98% PVC 2% PU Base cotton 100% CLASSE 1 100.000 CICLI

### ONE RECICLE

CATEGORY 3 525 gr/mt2 100% recycled polyester Base cotton 100% CLASSE 1IM 100.000 CICLI

LANA CATEGORY 5 500 gr/mt2 75% Lana, 25% polyamide Class 1 100.000 cycles Martindale

PELLE CATEGORY 5/6 620 g/lin.m 100% Cow leather Class 1. EN 1021-1/2 EUROPOST 2 **CATEGORY 6** 710 g/lin.m 63% PU, 16% CO, 21% PL Ini1975 CLASS1emme,UNI9175/FA 50.000% cycles Martindale

#### PREMIUM /ELEGANCE

CATEGORY 7 100% First quality cow leather Thickness 1,2/1,4 mm EN1021-1/2

# STEELCUT TRIO CATEGORY 7

770 g/lin.m 90% New wool worsted, 10% Nylon Class 1, EN 1021-1/2 100.000 % cycles Martindale

# REMIX CATEGORY 7

415 g/lin.m 90% New wool worsted, 10% Nylon Class 1, EN 1021-1/2 100.000 % cycles Martindale

#### VELLUTO DECONTRACTE' CATEGORY 7

590 g/lin.m 19% CO, 61% PC,10% PL, 10% VI 40.000 % cycles Martindale

### MERIT

CATEGORY 7 500g/lin.m 76% Polyester Recycled 24% Polyester EN 1021-1/2 85.000 % cycles Martindale

VELLUTO **CATEGORY 8** 600 g/lin.m 100.000 % PL Flame retardant

PIED POULE CATEGORY 6 550 g/lin.m 66% cotton, 34% Polyester 35.000 % cycles Martindale

### **Technical sheet**

PELLE SOFT CATEGORY 8 100% Cow leather Thickness,8-2 mm Aniline treatment – First quality EN1021-1/2

GABRIEL MESH

510 gr. gr/mtl 100% Polyester / Polyester BS EN 1021-1:2014 70.000 / rub

GOAL MESH 350 gr/mq 100%Polyester 100.000 Martindale cycles

### USAGE AND MAINTENANCE

In order to have an optimal maintenance of the products and to preserve the characteristics of the materials by which they are made, it is recommended the following course of action.

### FABRICS

Cleaning: check the dedicated selection written on the color Swatch card. Usage: it is recommended to pay careful attention to the fabrics as they can be cut or ripped easly.

### WOODS

Cleaning: clean using a soft cloth, soaked in tepid water. Dry always after the cleaning. Remove immediately any liquid substances or other residue in order to prevent the absorption.

Usage: wooden surfaces, being a natural material, might be subjected to color alterations with sun exposure and use over time. It is reminded that wooden surfaces cannot endure direct heat sources.

### METALS

Cleaning: both steel and aluminum surfaces, and the painted ones, have to be cleaned using a soft cloth soaked in tepid water. For the most persistent stains it is possible to dilute mild soap with water moderately. Dry always after the cleaning, using a soft cloth o deer-hide. Do not use cleaning products for steel, chlorine, bleach or other strong products. It is not recommended to use abrasive, scourers, which can scratch the metal surfaces.

Usage: pay attention to the food stains as coffee, coke, fruit juices that can make indelible marks on the surfaces.

### WARRANTY

QUINTI guarantees the products will maintain their properties for 6 years from delivery, except normal usury and provided that they will be used according to the guidelines given. QUINTI will replace, free of charge, any product found non-compliant with this warranty, without incurring any other liability of sort. Components, external accessories or materials supplied by the buyer and applied to the products in order to customize them will not be supported by the guarantee. For an optimal maintenance of the products and to keep unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.

66970 F.+39 0575 66936 I. info@quinti.com www.quinti.com

## **Technical sheet**

Quinti si riserva di apportare modifiche e/o migliorie di carattere tecnico ed estetico ai proprimodelli e prodotti in qualsiasi momento e senza preavviso. Per maggiori informazioni visitate il sito www.quinti.com Quinti reserves the right to make modifications and improvements of technical or aesthetic nature to the products atanytime without notice. For further information, please visit www.quinti.com